- Minor updates to titles and dates
- Minor clarifying language throughout
- Selective A APPEs are renamed Patient Care Electives
- Selective B APPEs are renamed Non-Patient Care Electives
- Aligning Didactic Electives requirements to match the Student Handbook

CORE

RUCOP utilizes CORE ELMS as its rotation management tracking software system. All preceptors are required to

ATTENDANCE POLICY

Students are expected to be present at the practice site as scheduled by RUCOP. The College expects students to modify all other schedules to allow full attendance during experiential rotations.

Exceptions to the Attendance Policy may be granted with prior written approval of both the preceptor AND the Experiential Director.

Rotation blocks may not be started earlier or later than the scheduled calendar date, and may not be split for any reason, unless approved by the Experiential Director. All hours and outcomes must be completed within the designated rotation block.

Minimum required intern hours per rotation block

- PHAR 470 P1 Community Pharmacy Longitudinal Rotation — 104 Hours
- PHAR 572 P1 Summer Community Pharmacy 4 Week Rotation — 160 Hours
- PHAR 573 P1 Summer Institutional Pharmacy 2 Week Rotation — 80 Hours
- PHAR 570 P2 Community Pharmacy Longitudinal Rotation — 120 Hours
- PHAR 600-698 P3 APPE Rotations (per rotation block) — 240 Hours

Failure to complete the required hours and outcomes within the rotation block, for any reason other than approved leave of absence, will result in a No Pass (NP) for the rotation.

Decisions to modify the schedule are subject to final approval from the Experiential Director.

Minimum required rotation intern hours must be met regardless of scheduled rotation days or approved schedule modifications.

Scheduled days for P1 and P2 Community Pharmacy Longitudinal rotations

The scheduled rotation days are set by RUCOP and are the same for all students. Students are permitted to request a scheduled day change one time per longitudinal rotation. Requests must be submitted via an absence request in the Academic Affairs Quesstted

Reasons for consideration for excused absences are listed in the Student Handbook. A summary, as it relates to absences for experiential rotations, is provided in the table below:

Absence Type	Deadline to Request	Notes
Student Illness	8:00 AM* on the day of the absence. Submit	

VIOLATIONS OF PROFESSIONAL CONDUCT

Violations of professional conduct will be addressed as per the Student Handbook Policies and Procedures Pertaining to Student Professionalism.

MISSED DEADLINES FOR STUDENT REQUIREMENTS

Initial Deadline

- Provided in writing (i.e. CORE schedule assignment and/or email from Exp Team member) to student stating the requirement for rotation and due date.

1st Missed Deadline

- Experiential staff member informs tardy student via email that they missed the requirement deadline and is provided 1st extension which is due 12 0 4f1 72.8 511ETQq0.00000912 p0 G[w

DRESS CODE

Students must confirm the dress code policy for their site prior to attendance and comply with site specific dress code in order to participate in rotations.

- Clean pressed short white lab jacket (if applicable)
- College-issued identification badge and site identification (if applicable)
- Blouse, sweater, or clean pressed shirt
- Tie (site dependent)
- Business casual pants, dress pants, skirt or dress (minimum knee length)
- Socks or hosiery and closed toe dress shoes
- All students are expected to practice good personal hygiene (clean and well groomed), dress modestly, and wear professional attire while attending rotations.
- Students should be conservative with respect to hair coloring.
- Students should confirm with the preceptor the acceptability of visible piercings and tattoos.

- Jeans, denim, camouflage pants, low-rise pants, yoga pants, leggings, sweats, or athletic pants
- Spandex, shorts, miniskirts (above the knee)
- Low cut or backless shirts and blouses (including halter and tank tops)
- T-shirts, sweatshirts, or open midriffs
- Open toed shoes, high heels, bare legs and feet
- Visible piercings (face, tongue, nose, and navel)
- Artificial nails (acrylic, gel nails and other compounds)

OUTCOMES & ASSESSMENTS

Students and preceptors are required to formally complete evaluations of student progress in their respective CORE accounts during the rotation block. Assessments are to be completed in CORE by deadlines set. Continuous and timely feedback regarding student progress is highly encouraged throughout the rotation. Concerns regarding progress should be communicated with both the student and Experiential Director as soon as noted.

PROFESSIONALISM OUTCOMES				
5	4	3	2	1
			Student is progressing but does not yet meet expectations.	
Exemplary	Above Average	Satisfactory		

UNSATISFACTORY PERFORMANCE, APPEALS, AND PROGRESSION

Students must provide a copy of their APhA Immunization Certificate and any other required documents to their preceptor prior to immunizing.

OSHA, Needle Sticks, & Post-Exposure Prophylaxis

If an exposure to a contaminated or possibly contaminated needle occurs, the student is required to seek medical care immediately according to the most recent Center for Disease Control guidelines. An incident report is required to be completed in CORE for all exposure incidents within 24 hours of the exposure. Students will utilize their primary insurance. If the primary insurance does not cover some or all of the cost, the student can coordinate with Roseman University facilities office to submit a claim to the University's accident insurance.

Students are prohibited from entering patient care areas where signage indicates an N95 (NIOSH approved particulate filtering face-piece respirators) mask is required, unless specific respiratory protection training in accordance with OSHA regulations is provided by the practice site. Documentation of respiratory protection training must be submitted to the Experiential Director prior to respirator use.

STUDENT USE OF CASH REGISTERS

ROTATION TYPES

PHAR 470 P1 IPPE Community Pharmacy Longitudinal Rotation
PHAR 572 P2 IPPE Community Pharmacy 4 Week Block Rotation (summer)
PHAR 570 P2 IPPE Community Pharmacy Longitudinal Rotation
PHAR 602 P3 APPE Advance Community Pharmacy 6 Week Block Rotation

PHAR 573 P2 IPPE Institutional Pharmacy 2 Week Block Rotation (summer)
PHAR 604 P3 APPE Institutional 6 Week Block Rotation

PHAR 601 P3 APPE Adult Acute Care 6 Week Block Rotation

PHAR 603 P3 APPE Ambulatory Care 6 Week Block Rotation

Note: Rotation types vary, dependent upon preceptor availability

PHAR 605 Antimicrobial Stewardship
PHAR 607 Specialty Pharmacy
PHAR 608 Liver Disease/Hepatitis C
PHAR 610 Rural Hospital
PHAR 611 Medication Therapy Management
PHAR 612 Anticoagulation
PHAR 615 Cardiology
PHAR 616 Cardiovascular Care
PHAR 618 Community Practice
PHAR 620 Critical Care
PHAR 621 Diabetes Management
PHAR 624 Emergency Medicine
PHAR 625 Surgery
PHAR 626 Geriatric Psychiatry
PHAR 627 Geriatrics
PHAR 628 Hematology/Oncology
PHAR 629 HIV Management
PHAR 630 HIV/Infectious Disease
PHAR 631 Infusion
PHAR 632 Hospice & Palliative Care
PHAR 633 ICU
PHAR 634 Immunization
PHAR 635 Infectious Disease
PHAR 637 Kinetics
PHAR 638 Lipid Management
PHAR 639 Long Term Care
PHAR 639 LTC/Consulting
PHAR 642 Medical/Surgery ICU
PHAR 644 Mental Health
PHAR 645 Neonatal ICU
PHAR 647 Nutrition
PHAR 648 Pain Management
PHAR 649 Patient Counseling/Education
PHAR 650 Pediatric ICU
PHAR 651 Pediatric Oncology
PHAR 652 Pediatrics
PHAR 657 Psychiatry
PHAR 658 Pulmonary Management
PHAR 660 Internal Medicine
PHAR 661 Skilled Nursing
PHAR 662 Solid Organ Transplant
PHAR 663 Transplant
PHAR 664 Trauma
PHAR 665 Women[illegible]
PHAR 668 Transitions of Care
PHAR 669 Rehabilitation
PHAR 670 Neurology
PHAR 671 Heart Failure
PHAR 673 Home Health
PHAR 674 Intermediate Care Unit
PHAR 675 Long Term Acute Care (LTAC)
PHAR 676 Family Practice
PHAR 678 Coronary Care Unit
PHAR 696 Nephrology

Note: Rotation types vary, dependent upon preceptor availability

PHAR 606 Regulatory Affairs
PHAR 609 Pharmacoeconomic
PHAR 610 Administration-Rural Pharmacy
PHAR 613 App. of Lit. Adult
PHAR 614 App. of Lit. Pediatric
PHAR 617 Clinical Research
PHAR 619 Compounding
PHAR 622 Drug Information
PHAR 623 Drug Use Policy
PHAR 636 Investigational Drug Service
PHAR 640 Mail Order
PHAR 641 Managed Care
PHAR 643 Medication Safety
PHAR 646 Nuclear
PHAR 659 Pharmacy Education
PHAR 653 Pharmaceutical Industry
PHAR 654 Pharmacy Admin./Leadership
PHAR 655 Pharmacy Management
PHAR 656 Professional Organization
PHAR 672 Pharmacy Informatics
PHAR 677 Veterinary Medicine

OUTCOMES FOR COMMUNITY PHARMACY ROTATIONS

PHAR 470: P1 IPPE Community Pharmacy Longitudinal
PHAR 572: P2 IPPE Community Pharmacy 4 Week Block (Summer)
PHAR 570: P2 IPPE Community Pharmacy Longitudinal
PHAR 602: P3 APPE Advanced Community 6 Week Block

3.

Outcomes for Community Pharmacy Rotations

PHAR 470: P1 IPPE Community Pharmacy Longitudinal
PHAR 572: P2 IPPE Community Pharmacy 4 Week Block (Summer)
PHAR 570: P2 IPPE Community Pharmacy Longitudinal
PHAR 602: P3 APPE Advanced Community 6 Week Block

OUTCOMES FOR COMMUNITY PHARMACY ROTATIONS

PHAR 470: P1 IPPE Community Pharmacy Longitudinal
PHAR 572: P2 IPPE Community Pharmacy 4 Week Block (Summer)
PHAR 570: P2 IPPE Community Pharmacy Longitudinal
PHAR 602: P3 APPE Advanced Community 6 Week Block

10. Maximize the appropriate use of medications in a population.

470	572	570	602	Bullet points are examples
O	O	O	O	x Identify different patient populations the pharmacy serves and the healthcare needs of one or more targeted populations (e.g. geriatric patients, diabetics, pediatric).
	O	O	O	x Discuss processes utilized to maximize appropriate use of medications the pharmacy serves (i.e. patient care calls, Mirixa/Outcomes/Symphony, MTM, health coaching, automatic refills, etc.).
		O	O	x Perform interventions to increase the appropriate use of medications in a population (i.e. patient care calls, Mirixa/ Outcomes/Symphony, MTM, health coaching, automatic refills, etc.). x Identify indication, efficacy, safety, appropriateness, and compliance/cost/adherence for commonly dispensed medications in the community for common disease states (depression, diabetes, hypertension, hyperlipidemia, etc.).
			O	x Apply cost-benefit, formulary, and/or epidemiology principles to medication related decisions. x Screen medications for indication, efficacy, safety, cost, and adherence and make appropriate recommendations.

11. Respect cultural and social determinants of health.

470	572	570	602	Bullet points are examples
O	O	O	O	x Discuss times a preceptor has recommended a change in medication based on cultural or social means for a patient. x Demonstrate an attitude that is respectful of diverse cultures.
	O	O	O	x Discuss the demographic and cultural characteristics of the patient population at the site and how it impacts pharmacy services and practices.
		O	O	x Identify how to counsel a patient on medication use when fasting is part of their cultural beliefs. x Describe cultural beliefs or social determinants that may impact adherence to medication. x Describe cultural beliefs or social determinants that may stop patients from utilizing preventative care (i.e. immunizations) x Recognize the collective identity and norms of diverse cultures without overgeneralizing (i.e. recognize and avoid biases and stereotyping)
			O	x Accurately assess a patient's degree of health literacy and ability to adhere to their regimen and modify communication strategies to meet the patient's needs. x Evaluate personal, social, economic, and environmental conditions to maximize health and wellness.

OUTCOMES FOR COMMUNITY PHARMACY ROTATIONS

PHAR 470: P1 IPPE Community Pharmacy Longitudinal
PHAR 572: P2 IPPE Community Pharmacy 4 Week Block (Summer)
PHAR 570: P2 IPPE Community Pharmacy Longitudinal
PHAR 602: P3 APPE Advanced Community 6 Week Block

13. Educate patients and caregivers regarding disease prevention and appropriate self-care.

470	572	570	602	Bullet points are examples
O	O	O	O	x Demonstrate familiarity with OTC products by counseling patients and caregivers under preceptor supervision (i.e. analgesics, antipyretics, antidiarrheal and antiflatulence products, Cough/cold/allergy products, dermatologic products, eye/ear/oral care products, heartburn relief products, lice treatment, pinworm treatment, sleep aids, smoking cessation, etc.) x Given the name of an OTC product used for self-care, identify the therapeutic class in which it falls. x Describe how to use QuEST-SCHOLAR MAC to determine the appropriateness of self-care including when to refer the patient to their provider.
	O	O	O	x Identify home testing devices available at your site. x Discuss pros and cons of home testing devices including the patients who may benefit from using these products. x Analyze patients for appropriateness of self-care including when to refer the patient to their provider.
		O	O	x Counsel a patient on use of home testing devices (i.e. glucometer, home blood pressure machine, drug/pregnancy/cancer/etc. home screening kits) x Discuss strategies the pharmacist has used for recommending lifestyle changes to patients. x Discuss with the preceptor ways that the preceptor has been successful or can improve self-care counseling and education of patients.
			O	x Educate patients and caregivers on methods for preventing and detecting chronic illness. x Counsel patients and caregivers on appropriate nutritional management strategies as related to their chronic illness. x Discuss with the preceptor ways that the student has been successful or can improve self-care counseling and education of patients. x Create a patient education brochure for disease prevention, health promotion, or appropriate use of self-care products.

OUTCOMES FOR COMMUNITY PHARMACY ROTATIONS

PHAR 470: P1 IPPE Community Pharmacy Longitudinal
PHAR 572: P2 IPPE Community Pharmacy 4 Week Block (Summer)
PHAR 570: P2 IPPE Community Pharmacy Longitudinal
PHAR 602: P3 APPE Advanced Community 6 Week Block

14. Educate patients and professional colleagues regarding the appropriate use of medications.

470	572	570	602	Bullet points are examples
O	O	O	O	x Discuss use of the teach-back method when counseling patients on appropriate use of medications. x Role play counseling on commonly used medications with the pharmacist.
	O	O	O	x Communicate effectively with a patient/caregiver, for the purpose of obtaining information, or conveying drug information. x Counsel a patient/caregiver on their prescription in the presence of the preceptor. x Demonstrate the teach-back method when counseling patients on appropriate use of medications. x Educate the preceptor on a newly released medication (past 12 months).
		O	O	x In the presence of the preceptor, counsel a patient/caregiver on the proper technique for the following routes of administration: inhaled, injected, oral, ophthalmic, otic, nasal, rectal, topical, and vaginal.
			O	x Educate patients and caregivers on appropriate use of prescription and/or over-the-counter and herbal therapies including efficacy, toxicity, and drug interactions. x Lead a discussion regarding a recently published research manuscript and its application to patient care x Develop and deliver a brief educational session regarding medication therapy to health professionals or lay audience. x Create a patient education brochure for appropriate use of medications or devices. x Consistently demonstrate the teach-back method when counseling patients on appropriate use of medications.

Outcomes For Community Pharmacy Rotations

Outcomes for Community Pharmacy Rotations

PHAR 470: P1 IPPE Community Pharmacy Longitudinal
PHAR 572: P2 IPPE Community Pharmacy 4 Week Block (Summer)
PHAR 570: P2 IPPE Community Pharmacy Longitudinal
PHAR 602: P3 APPE Advanced Community 6 Week Block

OUTCOMES FOR COMMUNITY PHARMACY ROTATIONS

PHAR 470: P1 IPPE Community Pharmacy Longitudinal
PHAR 572: P2 IPPE Community Pharmacy 4 Week Block (Summer)
PHAR 570: P2 IPPE Community Pharmacy Longitudinal
PHAR 602: P3 APPE Advanced Community 6 Week Block

18. Demonstrate the knowledge and abilities to oversee pharmacy operations, including resource management, personnel, and technology of the practice site.

470	572	570	602	Bullet points are examples
O	O	O	O	x Identify and describe the duties/responsibilities for each of the following pharmacy team members: pharmacist-in charge, staff pharmacist, pharmacy intern, pharmacy technician and pharmacy clerk. x Discuss how your site utilizes technology to improve patient care. x Discuss how your site utilizes technology to improve workflow within the pharmacy. x W Œ (} Œ u •] (µ v š] } v • Á] š Z] v š Z ‰ Z Œ u Ç [• • } (s patient into the system; processing a new prescription) without assistance.

OUTCOMES FOR COMMUNITY PHARMACY ROTATIONS

PHAR 470: P1 IPPE Community Pharmacy Longitudinal
PHAR 572: P2 IPPE Community Pharmacy 4 Week Block (Summer)
PHAR 570: P2 IPPE Community Pharmacy Longitudinal
PHAR 602: P3 APPE Advanced Community 6 Week Block

19. Demonstrate the knowledge and abilities necessary to function in accordance with pharmacy laws, regulations, and accreditation standards.

470	572	570	602	Bullet points are examples
O	O	O	O	x Discuss ways the pharmacist determines the legality of a prescription. x Describe reports or databases that the pharmacist reviews to determine the legality and appropriateness of a controlled substance prescription. x Discuss the appropriate action(s) to take when presented with an illegal prescription. x Explain the record keeping requirements for prescription hard copies (noncontrolled & controlled). x List the individuals who are legally authorized to access the pharmacy department. x Demonstrate the legal and ethical behavior required for protecting patient confidentiality, i.e. protected health information.
	O	O	O	x Determine the legality of prescriptions (handwritten, faxed, electronically, and verbally submitted). x Discuss how the pharmacist determines whether a practitioner is legally prescribing within his/her scope of practice. x Complete at least one closing shift and assist with closing duties. x Discuss the steps required to prepare for a Board inspection. x Explain the legal and record keeping requirements for: supplying a prescription medication to a licensed practitioner for office use; partially filling a medication; refusing to fill a medication; dispensing OTC products that are tracked at federal or state level (i.e. pseudoephedrine, codeine, etc.); and, disposal of used sharps-containers.
		O	O	x Perform a Controlled Substance inventory. x Reconcile the records of a CII perpetual inventory when there is a conflict. x Identify whether a practitioner is legally prescribing within his/her scope of practice. x Demonstrate the appropriate action(s) to take when presented with an illegal prescription. x Explain the legal and record keeping requirements for: filling controlled substance prescriptions; ordering controlled substances (DEA 222); transferring a controlled substance to another registered practitioner (DEA 222); destroying of controlled substances (DEA 41); and, loss or theft of a controlled substance (DEA 106).
			O	x Prepare a presentation on any law updates in your state that occurred over the past 24 months. x Identify whether a practitioner is legally prescribing within his/her scope of practice. x Complete mock paperwork required for a Board Inspection. x List all the steps required when a medication is recalled by the manufacturer or distributor. x Complete a Breach of HIPAA form for a mock HIPAA breach and discuss who the form is reported to. x Perform quality control review for appropriate documentation including: at least 5 previous DEA 222 forms; at least 5 CII prescriptions; at least 5 CIII-V prescriptions; and at least 5 legend drug prescriptions x If possible, attend one day of a live State Board of Pharmacy meeting.

Outcomes for Institutional Pharmacy Rotations

Outcomes for Institutional Pharmacy Rotations

PHAR 573: P2 IPPE Institutional Pharmacy 2 Week Block (Summer)
PHAR 604: P3 APPE Institutional 6 Week Block Rotation

OUTCOMES FOR INSTITUTIONAL PHARMACY ROTATIONS

PHAR 573: P2 IPPE Institutional Pharmacy 2 Week Block (Summer)
PHAR 604: P3 APPE Institutional 6 Week Block Rotation

9. Minimize adverse drug eventl k 0 1 te

OUTCOMES

OUTCOMES FOR INSTITUTIONAL PHARMACY ROTATIONS

PHAR 573: P2 IPPE Institutional Pharmacy 2 Week Block (Summer)
PHAR 604: P3 APPE Institutional 6 Week Block Rotation

18. Demonstrate the knowledge and abilities necessary to oversee pharmacy operations, including resource

6. Empower and advocate for patients when appropriate
   Bullet points are examples
   - x Empower patients to take responsibility for, and control of, their health.
   - x Identify patients who may benefit from intervention regarding the complex healthcare system and make recommendations with the preceptor for ways these patients can be assisted.
   - x Ensure patients obtain the resources and care required in an efficient and cost-effective manner (e.g. triage to social and/or other healthcare services).
   - x Identify ways that pharmacists can help empower and advocate for patients (i.e. access, affordability, education, etc.) in an acute care setting.
   - x Discuss how social determinants of health can impact therapeutic decision making.
   - x Identify ways that pharmaceutical care in the hospital setting is impacted by patient lifestyle, education, and financial status.

7. Collaborate as a member of an interprofessional team.
   Bullet points are examples
   - x Describe roles and responsibilities of acute care pharmacists in the institutional setting.
   - x Communicate a patient's medication-related problems to another health professional in a respectful manner.
   - x

9. Minimize adverse drug events and medication errors.
   Bullet points are examples
   - Assist in the identification of underlying system-associated causes of errors.
   - Report adverse drug events and medication errors to stakeholders.
   - Provide appropriate patient education to reduce medication errors and adverse drug events.
   - Collect thorough patient histories to minimize adverse drug events and medication errors.
   - Identify how pharmacists at the site internally document adverse events (i.e. facility specific software).
   - Document adverse events using national databases (Vaccine Adverse Event Reporting System (VAERS), MedWatch).
   - Distribute Vaccine Information Sheets (VIS) when immunizing patients.
   - Discuss principles around systems based error attribution (e.g. root cause analysis, To Err is Human, etc.)

10. Maximize the appropriate use of medications in a population.
    Bullet points are examples
    - Appropriately identify strategies to maximize the appropriate use of medications in a population (e.g. counseling at the bedside, topic discussion with staff, medication reconciliation, etc.).
    - Provide appropriate education to patients, pharmacists, caregivers, and other healthcare professionals to maximize the appropriate use of medications in a population (i.e. geriatric, diabetic, pediatric, low-literacy patients, etc.).
    - Participate in population health management by completing a medication use evaluation (MUE).

11. Respect cultural and social determinants of health.
    Bullet points are examples
    - Assess and recommend referral to additional professionals for patient's social benefit (e.g. translator, social worker, case manager, etc.).
    - When collecting medication histories, performing medication use evaluations, and counseling patients, be respectful of cultural and social determinants of health in a population that may vary.
    - Identify how pharmacy services provided at the hospital can best respect cultural and social determinants of health in the population served.

12. Ensure that eligible patients are educated about and offered immunizations for vaccine-preventable diseases.
    Bullet points are examples
    - Determine whether a patient is eligible for and has received CDC-recommended immunizations.
    - Make recommendations and/or administer and document CDC-recommended immunizations where appropriate per site protocolhere

13. Educate patients and caregivers regarding disease prevention and appropriate self-care.

Bullet points are examples

- Demonstrate the ability to coordinate educational efforts with other healthcare providers, when appropriate, to ensure a consistent, comprehensive, and team-based encounter.
-]•µ••šZ•]š[•‰}o]ÇŒPŒ]vPu]š]}v•š-ŠZ%}(]vš•]Uv medications.
- Develop and deliver a brief (less than 1 hour) educational program regarding self-care to patients and caregivers.

14. Educate patients and professional colleagues regarding the appropriate use of medications.

Bullet points are examples

- Lead a discussion regarding a recently published research manuscript and its application to patient care.
- Develop and deliver a brief educational program regarding medication therapy to health professionals or lay audience.
-

17. Effectively communicate with patients, caregivers, and other health professionals (listening, writing and verbal skills).

    Bullet points areexamples

    - Communicate effectively with patients, caregivers, and other health professionals for the purpose of obtaining information or conveying drug information.
    - Use appropriate non-verbal language when communicating with patients, caregivers, and other health professionals.
    - Document patient care activities clearly, concisely, and accurately using appropriate medical terminology.
    - Use available technology and other media to assist with communication as appropriate.
    - Develop professional documents pertinent to organizational needs (e.g., monographs, policy documents).

18. Demonstrate the knowledge and abilities to oversee pharmacy operations, including resource management, personnel, and technology of the practice site.

    Bullet points areexamples

    - Describe the role of the pharmacist in impacting the safety and efficacy of each component of a typical medication use system (i.e., procurement, storage, prescribing, transcription, dispensing, administrations, monitoring, and documentation).
    - Utilize technology to optimize the medication use system.
    - Identify and utilize human, financial, and physical resources to optimize the medication use system.
    - Discuss benefits and challenges to implementing pharmacy policies and procedures.
    - Discuss training and evaluation of residents, pharmacists, pharmacy technicians and other support staff.
    - Identify pharmacy service problems and/or medication safety issues.
    - Track pharmacy-led interventions to save costs in the hospital (e.g. IV to PO conversions, formulary interchange).

19. Demonstrate the knowledge and abilities to function in accordance with pharmacy laws, regulations, and accreditation standards.

    Bullet points areexamples

    - Describe the purpose and role of regulatory agencies in promoting patient safety (CMS, The Joint Commission, State Board of Pharmacy, etc.).
    - Interpret pharmacy quality and productivity indicators using continuous quality improvement techniques.
    - Discuss the process to prepare for regulatory visits and inspections.
    - Review the results of previous regulatory visits and inspections.
    - Assist in the preparation for regulatory visits and inspections if appropriate.

O

Outcomes for Patient Care Elective APPEs

Due to the very broad nature of patient care APPEs, Patient care rotations will utilize all General Outcomes and additional rotation-specific outcome.

Outcomes for Non-Patient Care Elective APPEs

Due to the very broad nature of non-patient care APPEs, Non-patient care rotations will have outcomes specific for each course type.